

Friday, July 14, 2017 11:19:31 AM

164207

Page 1

N900040100

Setup Start *NS1*

Stop *NS2*

Start Date: 7/17/2017 **Start Qty:** 1.00 ***1***

Cust Item ID:

Required Date: 7/21/2017 **Req'd Qty:** 1.00 *** 1 ***

Customer:

Reference:

Approvals: _____ **Process Plan:** _____ **Date:** JUL 14 2017 **Tooling:** _____ **Date:** _____
QC: _____ **Date:** _____ **SPC (Y/N):** _____ **Date:** _____

Run Start *NR1*

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr	
D4634	G	

0.00

115

Thermoform

Thermoforming Machine

Memo

0.00

RE-ASSEMBLE PANEL USING COMPONENT FROM KIT D139-816-011

DAS
07
9-89

17/07/2

120

QC5- Inspect part completeness to step on W/O	0.00
---	------

120

QC

Quality Control

Memo

0.02

DA
38
9-89

JUL 21 2017

130

Identify as per dwg & Stock Location:_____ 0.00

130

Packaging

Packaging

Memo

0.01

DAS
28
~~9.89~~

JUL 21 2017.

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Work Order ID 164207

Friday, July 14, 2017 11:19:31 AM

164207

Page 2

Item ID: D4634-041 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Fwd, Center Ceiling Panel Assembly
Start Date: 7/17/2017 Start Qty: 1.00 ***1*** Cust Item ID:
Required Date: 7/21/2017 Req'd Qty: 1.00 ***1*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.10							
Quality Control									

17/7/24



JUL 21 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Picklist Print

Friday, July 14, 2017 11:19:44 AM

Page 1

Work Order ID: 164207

164207

Parent Item: D4634-041

D4634-041

Parent Item Name: Fwd, Center Ceiling Panel Assembly

Start Date: 7/17/2017

Required Date: 7/21/2017

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev. A 12/08/09 New Issue DL
12/11/08 Document release DL VERIFIED BY:JLM IPP Rev B
Dwg Update DL verf: DD IPP Rev C 13/07/09
DL IPP Rev D Dwg Update 13/12/23
DL IPP REV E Dwg update 14/01/09
DL IPP Rev F Dwg. update 14/02/03
DL IPP Rev G Dwg. Update 15/01/27 DL

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4652-5 *D4652-5* Air Valve, 1.25 Id Disk Type D4652-1		Manufactured	No			100	Each	15.0000	2	2		JUL 14 2017	
					<u>Location</u>			<u>Loc Qty</u>		<u>Loc Code</u>			
					MF003			15					
					155417			15					
D4743-1 *D4743-1* Speaker Grill B: 149065		Manufactured	No			100	Each	12.0000	2	2		JUL 14 2017	
					<u>Location</u>			<u>Loc Qty</u>		<u>Loc Code</u>			
					MF005			12					
					154770			4					
					155856			8					
MS21044-N08 *MS21044-N08* Nut		Purchased	No			100	Each	138.0000	8	8			
					<u>Location</u>			<u>Loc Qty</u>		<u>Loc Code</u>			
					ST302			138					
					m131452			12					
					m136502			26					
					m136537			100					

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																						
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																						
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																						
Large Fab ☐	Composite ☐	Supplier ☐																							
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																		
Description Work Order Deviation				Disposition				Completed By																	
								Lead hand / Supervisor Approval Verification																	
										QC / QA Coordinator Approval															
Root Cause		FAULT CATEGORY																							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			OTHER :																	

Picklist Print

Friday, July 14, 2017 11:19:44 AM

Page 2

Work Order ID: 164207

164207

Parent Item: D4634-041

D4634-041

Parent Item Name: Fwd, Center Ceiling Panel Assembly

Start Date: 7/17/2017

Required Date: 7/21/2017

Start Qty: 1.00

Required Qty: 1.00

MS24693-BB50

Purchased

No

100

Each

93.0000

8

8

MS24693-BB50

SCREW

**

Location

Loc Qty

Loc Code

ST288

93

m130207

93

NAS1149DN832J

Purchased

No

100

Each

2,186.000

8

8

NAS1149DN832J

Washer

**

Location

Loc Qty

Loc Code

ST260a

2000

M137587

2000

ST264

186

M135297

186

D4634-141

Manufactured

No

100

Each

0.0000

1

1

D4634-141

Fwd, Center Ceiling Replacement Panel Assembly

**

164531

D4646-1

Manufactured

No

100

Each

23.0000

2

D4646-1

Plenum Cap Assembly

**

B154711

Location

Loc Qty

Loc Code

MF009

23

156116

23

D4728-047

Manufactured

No

100

Each

16.0000

1

D4728-047

Advisory Light, Fwd

**

B124732

Location

Loc Qty

Loc Code

over001

16

124732

16

DAS
6
9-89

DAS
6
9-89

JUL 14 2017

JUL 14 2017

Friday, July 14, 2017 11:19:44 AM

Shop Packet Print

Page 2

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐			
Design ☐	☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐			
Doc/Data ☐	☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐			
Equip/Tooling ☐	☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐			
Handling/Pre ☐	☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐			
Material ☐	☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐			
Internal Transport ☐	☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐			
Tribal Knowledge ☐	☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐			
LOA ☐	☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐			
Substation ☐	☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐			
Past Expiry Date ☐	☐	Manufacturing Process ☐	OTHER : ☐						
Misidentified ☐	☐	Past Due ☐							

Picklist Print

Friday, July 14, 2017 11:19:44 AM

Page 3

Work Order ID: 164207

164207

Parent Item: D4634-041

D4634-041

Parent Item Name: Fwd, Center Ceiling Panel Assembly

Start Date: 7/17/2017

Required Date: 7/21/2017

Start Qty: 1.00

Required Qty: 1.00

D4728-051 Manufactured No

100 Each

12.0000

1

D4728-051

Cabin Lights #1

B122713

**

JUL 14 2017

Location

Loc Qty

Loc Code

MF001

1

122713

1

over001

11

122713

11

PLT1.5M-M

Purchased

No

100

Each

2,635.000

7

7

PI T1 5M-M

Tie Wrap

**

DAS
6
9-89

Location

Loc Qty

Loc Code

ST570

2635

m129712

2635

100

Each

22.0000

1

1

50-009-2

Purchased

No

50-009-2

Grommet

**

DAS
6
9-89

Location

Loc Qty

Loc Code

ST583

22

m135442

22

100

Each

46.0000

1

1

2351-20-27-C3C

2351-20-27-
Z3CT

Purchased

No

2351-20-27-C3C

STUD

**

DAS
6
9-89

Location

Loc Qty

Loc Code

ST579

46

m128068

2

m130318

44

Friday, July 14, 2017 11:19:44 AM

Shop Packet Print

Page 3


DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐			
Design ☐	☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐			
Doc/Data ☐	☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐			
Equip/Tooling ☐	☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐			
Handling/Pre ☐	☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐			
Material ☐	☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐			
Internal Transport ☐	☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐			
Tribal Knowledge ☐	☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐			
LOA ☐	☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐			
Substation ☐	☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐			
Past Expiry Date ☐	☐	Manufacturing Process ☐	OTHER :						
Misidentified ☐	☐	Past Due ☐							



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 164207
JUL 14 2017

D4634-041 FWD, CENTER CEILING PANEL ASSY

RELEASED

2015 JAN 26
ECN 14-634 4P

- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.4, ON SMOOTH SIDE
 - 7) WEIGHT: 7.0 lbs
 - 8) INSTALL D4728-047/-051 WIRE HARNESS PER QSI 048

ITEM NO.	QTY. -041	P/N	DESCRIPTION
1	X	D4634-041	FWD, CENTER CEILING PANEL ASSY
2	1	D4634-141	FWD, CENTER CEILING REPLACEMENT PANEL ASSY
3	1	D4638-1 (REF)	LED LIGHT (REF PART OF D4728-051)
4	1	D4645-1 (REF)	NO SMOKING & FASTEN BELT LIGHT (PART OF D4728-047)
5	2	D4646-1	PLENUM CAP ASSEMBLY
6	2	D4652-3 (REF)	MOUNTING NUT (PART OF D4652-5)
7	2	D4652-5	AIR VALVE, 1.16 ID DISK TYPE
8	1	D4728-047	ADVISORY LIGHT (FWD) HARNESS ASSEMBLY
9	1	D4728-051	CABIN LIGHT #1 HARNESS ASSEMBLY
10	2	N/A (REF)	SCREW (PART OF D4638-1)
11	2	D4743-1	SPEAKER GRILL
12	8	MS21044-N08	NUT, SELF-LOCKING
13	8	MS24693-BB50	SCREW, CSK 100°
14	8	NAS1149DN832J	WASHER
15	7	PLT1.5M-M	TIE-WRAP (OR PLT1.5M-C)
16	1	50-009-2	GROMMET
17	1	2351-20-27-C3C	DZUS STUD, OVAL HEAD

G	D4652-5 WAS D4652-1 (ZN D4-1, D4-3, D4-5); 10.28 WAS 10.20 (ZN B6-10, B5-12, B5-14); TIE-WRAP & MOUNTING PAD QTY CHANGE; MOUNTING PAD EDGE DISTANCE CHANGE	RF	14.11.28
F	REVISE BOM (ZN D4-7); ADD DIM (ZN B8-8); 10.20 WAS 10.06 (ZN B8-10, B5-12, B5-14); ADD DETAIL V (ZN C4-10, B4-12, C4-14, A4-16); CHANGE PROTRUDE SECTION DIMS TO REF (ZN C7-10, C7-12, C7-14)	RF	14.02.03
E	REVISED BOM (ZN C4-1, C4-3, D4-5, C4-7, C4-8, C4-9); ADD NOTE 11) (ZN D5-7, A5-7, D5-9, A5-9, D7-9, A5-9); 3.70 WAS 3.83 (ZN C8-11); 1.88 WAS 2.00 (ZN D7-13); 6.13 WAS 6.25 (ZN B6-15); REVISE DETAIL B (ZN A8-16)	RF	14.01.09
D	ADDED PLT1.5M-M (ZN C4-5, C6-8); D5021-1 (ZN D4-7, D5-7); D5021-3 (ZN D4-8, D5-8); D5021-5 (ZN D4-9, B7-9); MPNY-750S-8-C (ZN D4-9, B7-9); Ø.129 (ZN B4-11, B4-13); DETAIL "U" (ZN C2-17); 3.83 WAS 3.87 (ZN C8-11); 2.00 WAS 2.02 (ZN D6-13); REVISE NOTE 8) & 10) (ZN A8-7, A8-8, A8-9); & NOTE 1) (ZN A8-10, A8-12, A8-14); 3.80 WAS 3.84 (ZN D4-17, B8-17); REMOVED D4694-7/-041/D45-045/-047, D4647-3/-7/-8; DIMENSION SHIFTED DUE ADDING D5021-1/-3/-5; Ø.250 WAS Ø.206 (ZN D6-11, C3-13 & D6-15)	RF	13.12.09
C	REVISE GENERAL NOTES (ZN A8-7, A8-8, A8-9) & BOM (ZN D4-1, D4-3, D4-5, D4-7, D4-8); Ø.206 WAS Ø.207 (ZN D6-11, C3-13, C6-15) ADD DIM. (ZN B6-7, B7-7, D7-8, & D6-8)	RF	13.06.18
B	ADDED D4634-141/-143/-145 (ZN B4-7, B4-8, B4-9); REVISE D4634-041/-042/-043/-044 PART LIST & GENERAL NOTES; ADD DETAILS R,S,T SHT 10, 12, 14, 16, 17	RF	12.11.30
A	NEW ISSUE	RF	12.07.25

REV.	DESCRIPTION	BY	DATE
DESIGN	RF		
DRAWN	RF		
CHECKED	AK		
MFG. APPR.	DL		
APPROVED	HS		
DE APPR.	DS		
DATE	14.11.28		

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO.
D4634
SHEET 1 OF 17
TITLE
CENTER CEILING PANELS
SCALE
NTS

COPYRIGHT © 2012 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD